MONTANA WELL LOG REPORT

Form No. 603 R2-99

Well ID#

This log reports the activities of a licensed Montana well driller and serves as the official record of work done within the borehole and casing and describes the amount of water encountered. This form is to be completed by the driller and filed with DNRC within 60 days of completion of the work. Acquiring Water Rights is the well owner's responsibility and is not accomplished by the filing of this report. Well log information is stored in the Groundwater Information Center at the Montana Bureau of Mines and Geology (Butte) and water right information is stored in the Water Rights Bureau records (Helena). For fields that are not applicable, enter NA. Optional fields are in italics. Record additional information in the REMARKS section.

	WELL OWNER:		All de	pth measurements shall be from the top of the well casing.		
	NameTerry Lynch		Time	of recovery is hours/minutes since pumping stopped.		
	Mailing address 3332 Eldora		Air te	st*		
le.	Missoula, Montana, 59803			gpm with drill stem set at <u>54</u> ft. for <u>1</u> hours of recovery <u>30</u> min. Recovery water level <u>37</u> ft.		
2.	WELL LOCATION: List ¼ from smallest to largest ½ SE ¼ NW ¼ NW ¼, Section 1	OR	Bailer	test* gpm with ft, of drawdown after hours		
	Township_14N Range_14 W County_Missoula Lot Tract/Blk Subdivision Name			of recovery hrs/min. Recovery water level ft.		
	Well Address	OR	Pump	test*		
	GPS □Yes ■ No			pump set for test ft.		
	Latitude Longitude			gpm pump rate withft. of drawdown after hrs pumping		
	Error as reported by GPS locator (<u>+</u> feet) Horizontal datum □ NAD27 □ WGS84		Time	of recovery hrs/min. Recovery water level ft.		
		OR		g Artesian*		
	PROPOSED USE: ■ Domestic	gpm for hours				
	☐ Public water supply ☐ Monitoring Well ☐ Other:	Flow controlled by				
	TYPE OF WORK: ■ New well □ Deepen existing well □ Abandon existing well Method: □ Cable ■ Rotary □ Other:	or m	ay not b	e the sustainable yield of the well. Sustainable yield does not include the the well casing.		
		7.	WELL	LOG:		
i.	WELL CONSTRUCTION DETAILS:	Depth,	Feet	Material:		
	Borehole:	From	То	Color/rock and type/descriptor (example: blue/shale/hard, or brown gravel/water, or brown/sand/heaving)		
	Dia. <u>6</u> in. from <u>Surface</u> ft. to <u>60</u> ft.	0	2	Top Soil		
	Dia in. from ft. to ft.	2	30	Gravel & Sand		
	Dia in. from ft. to ft.	30	50	Clay, brown		
	Casing:	50	52	Silt, brown		
	Steel: Wall thickness .250" □Threaded ■Welded	52	60	Gravel bearing water		
	Dia. <u>6</u> in. from <u>+2</u> ft. to <u>58</u> ft.			Old Following Water		
	Dia in. from ft. to ft.					
	Plackies Pressure Paking Har Filter dad FIM/alded					
	Plastic: Pressure Ratinglbs. □ Threaded □ Welded Dia in. from ft. to ft.					
	Dia ii. ifom it. to it.					
	Perforations/Slotted Pipe:					
	Type of perforator used					
	Size of perforations/slots in. by in.					
	no. of perforations/slots from ft. to ft.					
	no. of perforations/slots from ft. to ft.					
	Screens: □ Yes ■ No					
	Material					
	Dia Slot size fromft. toft.					
	Dia Slot size from ft. to ft.					
	Gravel Packed: ☐ Yes ■ No					
	Size of gravel	-		·		
	Gravel placed from ft. to ft.	-				
	Packer: ☐ Yes ■ No		2 10 ANS 10			
	Type Depth(s)		DDITI	ONAL CUESTO ATTACUED		
	Grout: Material used Bentonite	10000000		ONAL SHEETS ATTACHED		
	Depth from ft. to ft. OR ■ Continuous feed	8. 9.		WELL COMPLETED: May 4, 2004 ARKS:		
	WELL TEST DATA:					
	A well test is required for all wells. (See details on well log report cover.)	40	DDU I	ED/CONTRACTORIC CERTIFICATION.		
Static water level 37 ft. below top of casing or Closed-in artesian pressure psi. 10. DRILLER/CONTRACTOR'S CERTIFICATION All work performed and reported in this well log in the performance of the property of the performance of the performan						
	How was test flow measured:			ell construction standards. This report is true to the best of my		
	bucket/stopwatch, weir, flume, flowmeter, etc			knowledge.		
ello	ellowstone groundwater closure area only - Water Temperature°F			Name, firm, or corporation (print)Blackfoot Well Drilling & Pump Svc. Inc.		
	DAQUIFER TEST DATA FORM ATTACHED			Address P. O. Box 936 Bonner, MT. 59823 Signature		
est	- 1 hour minimum	1	DESCRIPTION OF THE PROPERTY OF			
	Drawdown is the amount water level is lowered below static level.	Date	= IVIA	y 7, 2004 License no. 578/348		