

SEPTIC SYSTEM PERMIT APPLICATION

TC4AAB

NE 4 NW 4 18-27-19 40 Over 10 Acres
Legal Description of Property (Yes or No)

John H. Weber SELF
Legal Property Owner Property Occupant

105 North Haven Drive KAL. 888 McCaffery Rd.
Address Phone

\$5 Fee Paid 5.00 Chkd #1961 93-48
924

Installer Ken Petersen

New Remodel

No. of Bedrooms 4

Septic Tank Size 1000

Water Supply drilled well 180'

Soil Type gravel

High Water Table -

Absorption Area 340 sq ft.

Describe Drainfield Shallow Tile Absorption Field 170' x 2. Use multiple lines. Keep shallow.

DENIAL OF PERMIT

If a permit is denied, a hearing before the County Board of Health, within 30 days after the receipt of a request, shall be granted.

Common Reasons for Denial are:

1. Sanitary Restrictions on property (see your Deed).
2. Property is not recorded in Courthouse.
3. High groundwater (four-foot separation is required between drainfield and watertable.)
4. Unsuitable soil (criteria is based on site inspection and U. S. Soil Conservation Service Survey).

SEWER LAYOUT SKETCH: Include % of slope, Property Lines, Buildings, Driveways, Water Supplies, Lakes, Creeks, Surface Water, and distances to each, ON THE REVERSE SIDE OF THIS FORM.

I HEREBY CERTIFY the information submitted herein true, complete and correct to the best of my knowledge. I will install the system according to the Flathead County Regulations for Subsurface Sewage Disposal Systems and the terms of the permit. INSPECTIONS ARE REQUIRED!

10-8-75
Date *

John H. Weber
Signature of Applicant

10-8-75
Date



E.L. Garner, Jr.
Signature of Authorized Officer Approving Permit Application

* Permit is void if system is not installed within 90 days of issuance.

Extension will be granted for 60 days upon request.

Please phone 755-5300 Ext. 250 for inspection when system is completely installed except for backfill. Please notify this office at least one day in advance for prompt service. Owner may backfill if inspector misses appointment with one day's notice.

LAYOUT



Date	10/15/75
Inspected By	E. J. Hammer, Jr.
Approved	
Disapproved*	
Reason for Disapproval	